Instructions for use



Dear patient,

Your doctor has prescribed you bowel cleansing with PLENVU® for your upcoming examination. PLENVU® is a powder for the preparation of a colonic irrigation solution consisting of dose 1 (1 sachet) and dose 2 (2 sachets). When dissolved in water and drunk, it cleanses your bowel. Watery stools are therefore the desired effect.

Please follow these instructions for your preparation to proceed as well as possible. Efficient bowel cleansing with PLENVU® provides your doctor with an unobstructed view, thus creating the best conditions for a successful colonoscopy.

Advice from your doctor

Important information

- Medicines may be flushed out and cannot work as usual.
- If you are given a sedative on the day of the examination, you should not drive a vehicle.

Advice for consumption

IMPORTANT:

Under no circumstances should you drink the solution quickly so that you can "get it over with quickly". The result could be that you feel sick. Do not empty the glass in one go, but **sip by sip and slowly**. **Allow at least 1 hour for this. Please read this PLENVU® information leaflet carefully.**





Drink PLENVU® chilled from the refrigerator



Drink warm tea before taking to prepare the stomach



Drink with a straw or from a water bottle



Drink with a tart flavour (e.g. green tea, lemon balm tea or clear apple juice)



Chewing gum, menthol sweets or sucking lemon or orange slices

Step 1: Diet in the days before the examination



From 3-5 days before the examination^{1,*}



Not allowed:



Whole grain products, breaded foods, tomatoes, peppers, grapes, raspberries, etc.



1 day before the examination Allowed:



Light low-fibre food, such as:

Cooked lean meat, fish, rice, pasta, potatoes, soy and tofu, butter, white bread, yoghurt, cheese

	The final	light meal	should	be	taken
•	before _	on _			



Drinking around the examination day



Permitted clear liquids

Water, tea (herbal, ginger, black), coffee (without milk), clear fruit juices (without pulp), clear soups



Not permitted clear liquids

Red or purple coloured drinks, drinks with fruit pulp, carbonated drinks, alcohol, milk, clear soups with chowder

IMPORTANT: Do not take any liquids
within 2 hours before the examination!

Step 2: Preparation and ingestion Dose 1



Date:

Time:



Pour the contents of Dose 1 into a vessel. Fill up to 0.5 L with water.



Stir until the powder has dissolved. This process can take up to about 8 minutes.

Also add at least 0.5 L clear liquid*



Drink PLENVU® and the additional clear liquid

SLOWLY and BY SIPPING alternately over a period of at least 1 hour.

Step 3: Preparation and ingestion Dose 2



Date:

Time:



Pour the contents of Dose 2 sachet A and Dose 2 sachet B into a vessel. Fill up to 0.5 L with water.



Stir until the powder has dissolved. This process can take up to about 8 minutes.

Also add at least 0.5 L clear liquid*





Drink PLENVU® and the additional clear liquid

SLOWLY and BY SIPPING alternately over a period of at least 1 hour.

Your examination date/time:

- * Please follow your doctor's instructions for the start of the diet (e.g. 5 days prior to the examination). Official recommendations² schedule the start of the diet as being at least 3 days before the examination.
- 1. Walter B, et al. Clin Gastroenterol Hepatol. 2021 Feb; 19(2): 331–338.
- 2. Ell C, et al. Z Gastroenterol 2007; 45(11): 1191–1198

Practice stamp:



You can find more information here:



This is the link to our website





Click here for the PLENVU® App

tand 05/2023, DE-GE-PLV-2300072



Link to the **PLENVU® Preparation Film**

A service from

For risks and side effects, read the package leaflet and ask your doctor or pharmacist.



